

CORRECTION

Correction: Early intra-intensive care unit psychological intervention promotes recovery from post traumatic stress disorders, anxiety and depression symptoms in critically ill patients

Adriano Peris¹, Manuela Bonizzoli¹, Dario Iozzelli², Maria Luisa Migliaccio¹, Giovanni Zagli^{1*}, Alberto Bacchereti², Marta Debolini², Elisetta Vannini¹, Massimo Solaro¹, Ilaria Balzi¹, Elisa Bondoni¹, Ilaria Bacchi¹, Monica Trevisan¹, Valtere Giovannini³ and Laura Belloni²

See related research by Peris *et al.*, <http://ccforum.com/content/15/1/R41>

Following publication of our article [1], we noted that we inadvertently failed to include Dr Monica Trevisan as a coauthor. Dr Trevisan has now been added, and the Authors' contributions section has been modified accordingly.

Competing interests

The authors have no competing interests.

Author contributions

AP, VG and LB organized the Clinical Psychological Service. AP, MB, MLM, DI and AB designed the study. AP, MB and GZ reviewed the literature. MLM, AB, MD, DI, EV, MS, IB, EB, MT and IB collected the data. DI, AB and MD performed clinical psychologist interventions. MLM, AB, MD, DI, EV, MS, IB, EB and IB performed follow-up examinations. GZ performed statistical analysis. AP, DI, AB and GZ wrote the draft. All Authors revised the manuscript and approved the final version.

Author details

¹Anaesthesia and Intensive Care Unit of Emergency Department, Careggi Teaching Hospital, Largo Brambilla 3, I-50139 Florence, Italy. ²Regional

Referral Center on Critical Human Relations, Careggi Teaching Hospital, Largo Brambilla 3, I-50139 Florence, Italy. ³Medical Director of Careggi Teaching Hospital, Largo Brambilla 3, I-50139 Florence, Italy.

Published: 18 April 2011

References

1. Peris A, Bonizzoli M, Iozzelli D, Migliaccio ML, Zagli G, Bacchereti A, Debolini M, Vannini E, Solaro M, Balzi I, Bondoni E, Bacchi I, Giovannini V, Belloni L: **Early intra-intensive care unit psychological intervention promotes recovery from post traumatic stress disorders, anxiety and depression symptoms in critically ill patients.** *Critical Care* 2011, **15**:R41.

doi:10.1186/cc10133

Cite this article as: Peris A, *et al.*: Correction: Early intra-intensive care unit psychological intervention promotes recovery from post traumatic stress disorders, anxiety and depression symptoms in critically ill patients. *Critical Care* 2011, **15**:418.

*Correspondence: giovanni.zagli@unifi.it

¹Anaesthesia and Intensive Care Unit of Emergency Department, Careggi Teaching Hospital, Largo Brambilla 3, I-50139 Florence, Italy

Full list of author information is available at the end of the article