

Correction

Correction: A long-term follow-up study investigating health-related quality of life and resource use in survivors of severe sepsis: comparison of recombinant human activated protein C with standard care

Christopher J Longo¹, Daren K Heyland², Harold N Fisher³, Robert A Fowler⁴, Claudio M Martin⁵ and Andrew G Day⁶

¹McMaster University, Main Street West, Hamilton, Ontario, Canada, L8S 4M4

²Kingston General Hospital, Queen's University, Stuart Street, Kingston, Ontario, Canada, K7L 2V7

³Eli Lilly Canada Inc., Danforth Avenue, Scarborough, Ontario, Canada, M1N 2E8

⁴Sunnybrook Health Sciences Centre, Bayview Avenue, Toronto, Ontario, Canada, M4N 3M5

⁵London Health Sciences Centre, Commissioners Road East, London, Ontario, Canada, N6A 5W9

⁶Clinical Research Centre, Kingston General Hospital, Stuart Street, Kingston, Ontario, Canada, K7L 2V7

Corresponding author: Christopher J Longo, cjlongo@mcmaster.ca

Published: 20 October 2008

This article is online at <http://ccforum.com/content/12/5/429>

© 2008 BioMed Central Ltd

Critical Care 2008, **12**:429 (doi:10.1186/cc7031)

Following the publication of the above article [1], we discovered the omission of the legend from Figures 2 through Figure 5. The following legends should be included for each of these figures:

Figure 2 legend

Model based estimation for mean PCS and standard error bar for all patients. Average group differences: $P=0.04$. APC, activated protein C; PCS, physical component score.

Figure 3 legend

Model based estimation for mean RP and standard error bar for all patients. Average group differences: $P=0.10$. APC, activated protein C; RP, role physical.

Figure 4 legend

Model based estimation for mean BP and standard error bar for all patients. Average group differences: $P=0.14$. APC, activated protein C; BP, bodily pain.

Figure 5 legend

Model based estimation for mean PF and standard error bar for all patients. Average group differences: $P=0.12$. APC, activated protein C; PF, physical function.

Reference

1. Longo CJ, Heyland DK, Fisher HN, Fowler RA, Martin C, Day A: **A long-term follow-up study investigating health-related quality of life and resource use in survivors of severe sepsis: comparison of recombinant human activated protein C with standard care.** *Crit Care* 2007, **11**:R128.